EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(remov$4 near IP near address) same (ethernet near (packet or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L2	0	(delet$4 near IP near address) same (ethernet near (packet or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L3	192	(delet$4 near IP near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L4	40	(delet$4 near IP near address) and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L5	0	(encapsulat$4 near IP) same (Ethernet) same (remov$3 near IP near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L6	142	(remov$4 near IP near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L7	1	(remov$4 near IP near address near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L8	40	L4 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L9	0	L7 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L10	52	L6 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L11	17	(remov$4 near IP near address) and (Ethernet adj (frame or packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L12	13	L11 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L13	1	(remov$4 near IP near address) near packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L14	2	((mask$3 or disguis$4) near (IP adj address)) and (convert $3 same ("data link" or "data-link" or "layer 2" or "layer two") same protocol$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L15	0	L14 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L16	534	((mask$3 or disguis$4) near (IP adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L17	191	L16 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L18	84	L16 and (@rlad< "20040424")	USPAT	OR	OFF	2008/12/30 17:06
L19	0	L16 and (@rlad< "20040424") and (convert$3 near layer L2)	USPAT	OR	OFF	2008/12/30 17:06
L20	6	L16 and (@rlad< "20040424") and (convert$3 near protocol $1)	USPAT	OR	OFF	2008/12/30 17:06
L21	1	((mask$3 or disguis$4 or remov$3) near (IP adj address)) near header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L22	0	L21 and (@rlad< "20040424")	USPAT	OR	OFF	2008/12/30 17:06
L23	1	((mask$3 or disguis$4 or remov$3) near (IP adj address)) near header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L24	43	((mask$3 or disguis$4 or remov$3) near (IP adj address)) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L25	15	L24 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L26	21442	(IP over Ethernet) and (cryptographic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L27	13	(IP adj over adj Ethernet) and (cryptographic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L28	3	L27 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L29	0	(IP near Ethernet) and (cryptographic near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L30	55	(IP near Ethernet) and (cryptographic same IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L31	37	L30 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L32	37	L30 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L33	1	(pointer$1 same minimum) same (timer same expir$3) same exceed$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L34	0	L33 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L35	799	370/419.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L36	1	"7249227".pn.	USPAT	OR	OFF	2008/12/30 17:06
L37	1	L36 and cryptographic	USPAT	OR	OFF	2008/12/30 17:06
L38	763	(IP adj address) near (MAC adj address)	USPAT	OR	OFF	2008/12/30 17:06
L39	224	(((generat$3 or creat$3) near (IP adj address)) same (generat$3 or creat$3 near (MAC adj address))	USPAT	OR	OFF	2008/12/30 17:06

L40	74	L39 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L41	224	(((generat$3 or creat$3) near (IP adj address)) same (generat$3 or creat$3 near (MAC))	USPAT	OR	OFF	2008/12/30 17:06
L42	74	L40 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L43	24	L40 and (MAC adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L44	11	(US-20050053016-$ or US-20070208821-$ or US-20050186933-$ or US-20040107286-$).did. or (US-6751665-$ or US-7149219-$ or US-7107612-$ or US-6772347-$ or US-7188180-$ or US-6904110-$ or US-7385967-$).did.	US-PGPUB; USPAT	OR	OFF	2008/12/30 17:06
L45	0	L44 and (restor$3 near (IP adj address))	USPAT	OR	OFF	2008/12/30 17:06
L46	9	(restor$3 near (IP adj address))	USPAT	OR	OFF	2008/12/30 17:06
L47	3	L46 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L48	2	cryptographic near (TCP/IP)	USPAT	OR	OFF	2008/12/30 17:06
L49	73	L40 and (@rlad< "20030425")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L50	1	L48 and (@rlad< "20030425")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L51	109	cryptographic same (TCP/IP)	USPAT	OR	OFF	2008/12/30 17:06
L52	24	L51 and (@rlad< "20030425")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L53	1	"7149219".pn.	USPAT	OR	OFF	2008/12/30 17:06
L54	1	L53 and (delet$3 or remov$3)	USPAT	OR	OFF	2008/12/30 17:06
L55	472	(replac$4 or substitut$4) same (IP adj address) same (MAC adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L56	7	(replac$4 or substitut$4) near (IP adj address) near (MAC adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L57	2	L56 and (@rlad< "20030425")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L58	2	"6856591".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L59	1	L58 and L56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L60	5884	370/389.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L61	1324	L60 and (@rlad<"20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L62	1	((mask$3 or disguis$4 or remov$3) near (IP adj address)) near header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L63	0	L61 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L64	5847	370/392.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L65	866	L64 and (@rlad<"20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L66	0	L65 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L67	4	"7209487".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L68	8	(delet$3 or remov$3 or replac$3) near (duplicate near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L69	1	L68 and (@rlad<"20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L70	12	(((delet$3 or remov$3 or replac$3) near (pointer)) same (address) same frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L71	5	L70 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L72	61	(((delet$3 or remov$3 or replac$3) near (pointer)) same (address) same (frame or packet or message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L73	22	L72 and (@rlad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L74	104	(referenc$3 near (MAC near address$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L75	534	((mask$3 or disguis$4) near (IP adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L76	415	L75 and (@rlad< "20040424" or @ad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L77	62	L74 and (@rlad< "20040424" or @ad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L78	0	(referenc$3 near (MAC near address$3)) same (network near hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L79	0	(referenc$3 near (MAC near address$3)) same (hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L80	3	(referenc$3 near (MAC near address$3)) same (replac$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L81	2	L80 and (@rlad<"20040424" or @ad<"20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L82	986	(Hop same (MAC near address $3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L83	714	L82 and (@rlad<"20040424" or @ad<"20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L84	204	(Hop same (MAC near address $3) same (referenc$4 or replac $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L85	2	"7149219".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L86	3377	((Ip adj address$3) same (replac$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L87	511	((Ip adj address$3) near (replac$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

L88	364	L87 and (@rlad< "20040424" or @ad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L89	153	L87 and (@rlad< "20040424" or @ad< "20040424")	USPAT	OR	OFF	2008/12/30 17:06
L90	58	(((referenc$3 or pointer$2) near address$3 near (replac $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L91	50	L90 and (@rlad< "20040424" or @ad< "20040424")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06
L92	2	"20070115977".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/30 17:06

12/30/08 5:12:24 PM
C:\ Documents and Settings\ jpatel1\ My Documents\ EAST\ Workspaces\ 10553920.wsp